

# Scientific References

1) Silveri MM et al. Citicoline enhances frontal lobe bioenergetics as measured by phosphorus magnetic resonance spectroscopy. *NMR Biomed.* 2008; 21(10):1066-75.

<https://pubmed.ncbi.nlm.nih.gov/18816480/>

2) McGlade E. et al., Improved Attentional Performance Following Citicoline Administration in Healthy Adult Women. *Food and Nutrition Sciences.* 2012;3:769-773.

<https://www.scirp.org/journal/paperinformation.aspx?paperid=19921>

3) Dempsey RJ, Raghavendra Rao VL. Cytidinediphosphocholine treatment to decrease traumatic brain injury-induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats. *J Neurosurg.* 2003 Apr;98(4):867-73. doi: 10.3171/jns.2003.98.4.0867. PMID: 12691414.

<https://pubmed.ncbi.nlm.nih.gov/12691414/>

4) Synoradzki K, Grieb P. Citicoline: A Superior Form of Choline?. *Nutrients.* 2019;11(7):1569. Published 2019 Jul 12. doi:10.3390/nu11071569

<https://www.mdpi.com/2072-6643/11/7/1569>

5) Babb SM, Wald LL, Cohen BM, Villafuerte RA, Gruber SA, Yurgelun-Todd DA, Renshaw PF. Chronic citicoline increases phosphodiesterases in the brains of healthy older subjects: an in vivo phosphorus magnetic resonance spectroscopy study. *Psychopharmacology.* 2002;161(3):248–254.

<https://pubmed.ncbi.nlm.nih.gov/12021827/>

6) Alvarez XA, et al. Citicoline Improves Memory Performance in Elderly Subjects. *Methods & Findings in Experimental & Clinical Pharmacology.* 19(3):201-10,1997.

<https://pubmed.ncbi.nlm.nih.gov/9203170/>

7) Fioravanti M, Buckley AE. Citicoline (Cognizin) in the treatment of cognitive impairment. *Clinical Interventions in Aging.* 2006;1(3):247-251.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2695184/>

8) Shinomol GK, et al. Exploring the role of "Brahmi" (*Bocopa monnieri* and *Centella asiatica*) in brain function and therapy. *Recent Pat Endocr Metab Immune Drug Discov.* 2011 Jan;5(1):33-49.

<https://pubmed.ncbi.nlm.nih.gov/22074576/>

9) Nemetchek MD, Stierle AA, Stierle DB, Lurie DI. The Ayurvedic plant Bacopa monnieri inhibits inflammatory pathways in the brain. *J Ethnopharmacol.* 2017;197:92-100. doi:10.1016/j.jep.2016.07.073

<https://pubmed.ncbi.nlm.nih.gov/27473605/>

10) Goswami S, Saoji A, Kumar N, Thawani V, Tiwari M, Thawani M. Effect of Bacopa monnieri on Cognitive functions in Alzheimer's disease patients. *International Journal of Collaborative Research on Internal Medicine & Public Health.* 2011; 3(4):285-293.

<https://www.iomcworld.org/articles/effect-of-bacopa-monnieri-on-cognitive-functions-in-alzheimers-disease-patients.pdf>

11) Roodenrys S, et al. Chronic effects of Brahmi (Bacopa monnieri) on human memory. *Neuropsychopharmacology.* 2002 Aug;27(2):279-81

<https://pubmed.ncbi.nlm.nih.gov/12093601/>

12) Stough C, et al. The chronic effects of an extract of Bacopa monniera (Brahmi) on cognitive function in healthy human subjects. *Psychopharmacology (Berl).* 2001 Aug;156(4):481-4.

<https://pubmed.ncbi.nlm.nih.gov/11498727/>

13) Singh HK, Dhawan BN. Neuropsychopharmacological effects of the Ayurvedic nootropic Bacopa monniera Linn. (Brahmi). *Indian J Pharmacol* 1997;29:S359-S365.

<https://www.ijp-online.com/article.asp?issn=0253-7613;year=1997;volume=29;issue=5;spage=359;epage=365;aulast=singh;type=0>

14) Deijen JB, van der Beek EJ, Orlebeke JF, van den Berg H. Vitamin B-6 supplementation in elderly men: effects on mood, memory, performance and mental effort. *Psychopharmacology.* 1992;109(4):489-496.

<https://pubmed.ncbi.nlm.nih.gov/1365868/>

15) McCarty MF. High-dose pyridoxine as an 'anti-stress' strategy. *Med Hypotheses.* 2000 May;54(5):803-7.

<https://pubmed.ncbi.nlm.nih.gov/10859691/>

16) National Institutes of Health Office of Dietary Supplements, Vitamin B6 Dietary Supplement Fact Sheet:

<https://ods.od.nih.gov/factsheets/VitaminB6-HealthProfessional/>

17) Young S. Folate and depression—a neglected problem. *J Psychiatry Neurosci.* 2007 Mar; 32(2): 80-82.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1810582/>

**18)** Durga J, et al. Effect of 3-year folic acid supplementation on cognitive function in older adults in the FACIT trial: a randomised, double blind, controlled trial. *Lancet*. 2007 Jan 20;369(9557):208-16.

<https://pubmed.ncbi.nlm.nih.gov/17240287/>

**19)** Homocysteine Lowering Trialists' Collaboration. Lowering blood homocysteine with folic acid based supplements: meta-analysis of randomised trials. *BMJ*. 1998 Mar 21; 316(7135): 894–898.

<https://pubmed.ncbi.nlm.nih.gov/9569395/>

**20)** Schafer JH, Glass TA, Bolla KI, Mintz M, Jedlicka AE, Schwartz BS. Homocysteine and cognitive function in a population-based study of older adults. *J Am Geriatr Soc*. 2005;53(3):381–388.

<https://psycnet.apa.org/record/2005-02972-003>

**21)** Louwman MW, van Dusseldorp M, van de Vijver FJ, et al. Signs of impaired cognitive function in adolescents with marginal cobalamin status. *Am J Clin Nutr*. 2000;72(3):762-769.

<https://pubmed.ncbi.nlm.nih.gov/10966896/>

**22)** Clarke R, Birks J, Nexo E, Ueland PM, Schneede J, Scott J, et al. Low vitamin B-12 status and risk of cognitive decline in older adults. *Am J Clin Nutr* 2007;86:1384-91.

<https://pubmed.ncbi.nlm.nih.gov/17991650/>

**23)** Seshadri S, Beiser A, Selhub J, Jacques PF, Rosenberg IH, D'Agostino RB, et al. Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. *N Engl J Med* 2002;346:476-83.

<https://pubmed.ncbi.nlm.nih.gov/11844848/>

**24)** Agnew-Blais JC. Folate, vitamin B-6, and vitamin B-12 intake and mild cognitive impairment and probable dementia in the Women's Health Initiative Memory Study. *J Acad Nutr Diet*. 2015 Feb;115(2):231-41.

<https://pubmed.ncbi.nlm.nih.gov/25201007/>

**25)** Bottiglieri T. Folate, vitamin B<sub>12</sub>, and S-adenosylmethionine. *Psychiatr Clin North Am*. 2013 Mar;36(1):1-13.

<https://pubmed.ncbi.nlm.nih.gov/23538072/>

**26)** Hutto BR. Folate and cobalamin in psychiatric illness. *Compr Psychiatry* 1997;38:305-14.

<https://pubmed.ncbi.nlm.nih.gov/9406735/>

**27)** Reynolds E. Vitamin B12, folic acid, and the nervous system. *Lancet Neurol*. 2006;5:949–960.

<https://pubmed.ncbi.nlm.nih.gov/17052662/>

**28)** Leahy LG. Vitamin B Supplementation: What's the Right Choice for Your Patients? *J Psychosoc Nurs Ment Health Serv.* 2017 Jul 1;55(7):7-11.

<https://pubmed.ncbi.nlm.nih.gov/28671236/>

**29)** De Jager CA, et al. Cognitive and clinical outcomes of homocysteine-lowering B-vitamin treatment in mild cognitive impairment: a randomized controlled trial. *Int J Geriatr Psychiatry.* 2012 Jun;27(6):592-600.

<https://pubmed.ncbi.nlm.nih.gov/21780182/>

**30)** Selhub J, et al. B vitamins, homocysteine, and neurocognitive function in the elderly. *Am J Clin Nutr.* 2000 Feb;71(2):614S-620S.

<https://pubmed.ncbi.nlm.nih.gov/10681269/>

**31)** Smith AD, Refsum H. Homocysteine, B Vitamins, and Cognitive Impairment. *Annu Rev Nutr.* 2016 Jul 17;36:211-39

<https://pubmed.ncbi.nlm.nih.gov/27431367/>

**32)** Kennedy DO. B Vitamins and the Brain: Mechanisms, Dose and Efficacy—A Review. *Nutrients.* 2016 Feb; 8(2): 68.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4772032/>

**33)** Balestreri R, et al. Bagchi D. Free radicals and grape seed proanthocyanidin extract: importance in human health and disease prevention. *Toxicology.* 2000 Aug 7;148(2-3):187-97.

<https://pubmed.ncbi.nlm.nih.gov/10962138/>

**34)** Ho GTT, et al. Immunomodulating Activity of Aronia melanocarpa Polyphenols. *Int J Mol Sci.* 2014 Jul; 15(7): 11626–11636.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4139804/>

**35)** Shi J, et al. Polyphenolics in grape seeds-biochemistry and functionality. *J Med Food.* 2003 Winter;6(4):291-9.

<https://pubmed.ncbi.nlm.nih.gov/14977436/>

**36)** Bors W1, Michel C, Stettmaier K. Electron paramagnetic resonance studies of radical species of proanthocyanidins and gallate esters. *Arch Biochem Biophys.* 2000 Feb 15;374(2):347-55.

<https://pubmed.ncbi.nlm.nih.gov/10666317/>

**37)** DalBó S, et al. Activation of endothelial nitric oxide synthase by proanthocyanidin-rich fraction from *Croton celtidifolius* (Euphorbiaceae): involvement of extracellular calcium influx in rat thoracic aorta. *J Pharmacol Sci.* 2008 Jun;107(2):181-9.

<https://pubmed.ncbi.nlm.nih.gov/18566521/>

**38)** Schmitt CA, Dirsch VM. Modulation of endothelial nitric oxide by plant-derived products. *Nitric Oxide*. 2009 Sep;21(2):77-91.

<https://pubmed.ncbi.nlm.nih.gov/19497380/>

**39)** Wong KH, et al. Neuroregenerative potential of lion's mane mushroom, *Herichium erinaceus* (Bull.: Fr.) Pers. (higher Basidiomycetes), in the treatment of peripheral nerve injury (review). *Int J Med Mushrooms*. 2012;14(5):427-46.

<https://pubmed.ncbi.nlm.nih.gov/23510212/>

**40)** Sabaratnam V, et al. Neuronal Health – Can Culinary and Medicinal Mushrooms Help? *J Tradit Complement Med*. 2013 Jan-Mar; 3(1): 62–68.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3924982/>

**41)** <https://www.degruyter.com/document/doi/10.1515/HC.1996.2.1.51/html>

**42)** Cheng JH, Tsai CL, Lien YY, Lee MS, Sheu SC. High molecular weight of polysaccharides from *Herichium erinaceus* against amyloid beta-induced neurotoxicity. *BMC Complement Altern Med*. 2016;16:170. Published 2016 Jun 7. doi:10.1186/s12906-016-1154-5

<https://pubmed.ncbi.nlm.nih.gov/27266872/>

**43)** He X, Wang X, Fang J, Chang Y, Ning N, Guo H, Huang L, Huang X, Zhao Z. Structures, biological activities, and industrial applications of the polysaccharides from *Herichium erinaceus* (Lion's Mane) mushroom: A review. *Int J Biol Macromol*. 2017 Apr;97:228-237. doi: 10.1016/j.ijbiomac.2017.01.040. Epub 2017 Jan 10. PMID: 28087447.

<https://pubmed.ncbi.nlm.nih.gov/28087447/>

**44)** Mori K, et al. Improving effects of the mushroom Yamabushitake (*Herichium erinaceus*) on mild cognitive impairment: a double-blind placebo-controlled clinical trial. *Phytother Res*. 2009 Mar;23(3):367-72. doi: 10.1002/ptr.2634.

<https://pubmed.ncbi.nlm.nih.gov/18844328/>

**45)** Mori K, et al. Nerve growth factor-inducing activity of *Herichium erinaceus* in 1321N1 human astrocytoma cells. *Biol Pharm Bull*. 2008 Sep;31(9):1727-32.

<https://pubmed.ncbi.nlm.nih.gov/18758067/>

**46)** Ma BJ, et al. TMYC Hericenones and erinacines: stimulators of nerve growth factor (NGF) biosynthesis in *Herichium erinaceus*. *Mycology*, Vol. 1, No. 2, June 2010, 92–98.

<https://www.tandfonline.com/doi/full/10.1080/21501201003735556>

**47)** Crook TH, et al. Effects of phosphatidylserine in age-associated memory impairment. *Neurology*. 1991 May;41(5):644-9.

<https://pubmed.ncbi.nlm.nih.gov/2027477/>

**48)** Hirayama S, et al. The effect of phosphatidylserine administration on memory and symptoms of attention-deficit hyperactivity disorder: a randomised, double-blind, placebo-controlled clinical trial. *J Hum Nutr Diet*. 2013 Mar 17.

<https://pubmed.ncbi.nlm.nih.gov/23495677/>

**49)** Glade MJ, Smith K. Phosphatidylserine and the human brain. *Nutrition*. 2015 Jun;31(6):781-786.

<https://pubmed.ncbi.nlm.nih.gov/25933483/>

**50)** Cenacchi T, et al. Cognitive decline in the elderly: a double-blind, placebo-controlled multicenter study on efficacy of phosphatidylserine administration. *Aging (Milano)*. 1993 Apr;5(2):123-33.

<https://pubmed.ncbi.nlm.nih.gov/8323999/>

**51)** Kato-Kataoka A., et al. Soybean-Derived Phosphatidylserine Improves Memory Function of the Elderly Japanese Subjects with Memory Complaints. *J. Clin. Biochem. Nutr.*, 47, 246–255, November 2010

<https://pubmed.ncbi.nlm.nih.gov/21103034/>

**52)** Ng T-P, Feng L, Niti M, Kua E-H, Yap K-B. Tea consumption and cognitive impairment and decline in older Chinese adults. *American Journal of Clinical Nutrition*. 2008;88(1):224–231

<https://pubmed.ncbi.nlm.nih.gov/18614745/>

**53)** Song J, Xu H, Liu F, Feng L. Tea and cognitive health in late life: current evidence and future directions. *Journal of Nutrition, Health and Aging*. 2012;16(1):31–34.

<https://link.springer.com/article/10.1007/s12603-011-0139-9%22>

**54)** Deijen JB, et al. Tyrosine improves cognitive performance and reduces blood pressure in cadets after one week of a combat training course. *Brain Res Bull*. 1999 Jan 15;48(2):203-9.

<https://pubmed.ncbi.nlm.nih.gov/10230711/>

**55)** Neri DF, et al. The effects of tyrosine on cognitive performance during extended wakefulness. *Aviat Space Environ Med*. 1995 Apr;66(4):313-9.

<https://pubmed.ncbi.nlm.nih.gov/7794222/>

**56)** Thomas JR, et al. Tyrosine improves working memory in a multitasking environment. *Pharmacol Biochem Behav*. 1999 Nov;64(3):495-500.

<https://pubmed.ncbi.nlm.nih.gov/10548261/>

**57)** Colzato LS, et al. Working memory reloaded: tyrosine repletes updating in the N-back task. *Front. Behav. Neurosci.*, 16 December 2013.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3863934/>

**58)** Banderet LE, Lieberman HR. Treatment with tyrosine, a neurotransmitter precursor, reduces environmental stress in humans. *Brain Res Bull.* 1989 Apr;22(4):759-62.

<https://pubmed.ncbi.nlm.nih.gov/2736402/>

**59)** Edwards D, Heufelder A, Zimmermann A. Therapeutic effects and safety of Rhodiola rosea extract WS® 1375 in subjects with life-stress symptoms--results of an open-label study. *Phytother Res.* 2012 Aug;26(8):1220-5. doi: 10.1002/ptr.3712. Epub 2012 Jan 6. PMID: 22228617.

<https://pubmed.ncbi.nlm.nih.gov/22228617/>

**60)** Kasper S, Dienel A. Multicenter, open-label, exploratory clinical trial with Rhodiola rosea extract in patients suffering from burnout symptoms. *Neuropsychiatr Dis Treat.* 2017;13:889-898. Published 2017 Mar 22. doi:10.2147/NDT.S120113

<https://pubmed.ncbi.nlm.nih.gov/28367055/>